







© TVET SSP

HAND AND MACHINE Embroidery

Assessment Package

National Vocational Certificate Level 2 Version 1 - February 2020



Published by

National Vocational and Technical Training Commission Government of Pakistan

Headquarter

Plot 38, Kirthar Road, Sector H-9/4, Islamabad, Pakistan www.navttc.org

Responsible

Director General Skills Standard and Curricula, National Vocational and Technical Training Commission

National Deputy Head, TVET Sector Support Programme, Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) GmbH

Layout & design

SAP Communications

Photo Credits TVET Sector Support Programme

URL links

Responsibility for the content of external websites linked in this publication always lies with their respective publishers. TVET Sector Support Programme expressly dissociates itself from such content.

This document has been produced with the technical assistance of the TVET Sector Support Programme, which is funded by the European Union, the Federal Republic of Germany and the Royal Norwegian Embassy and has been commissioned by the German Federal Ministry for Economic Cooperation and Development (BMZ). The Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) GmbH in close collaboration with the National Vocational and Technical Training Commission (NAVTTC) as well as provincial Technical Education and Vocational Training Authorities (TEVTAs), Punjab Vocational Training Council (PVTC), Qualification Awarding Bodies (QABs)s and private sector organizations.

Document Version February, 2020 **Islamabad, Pakistan**

HAND AND MACHINE Embroidery

Assessment Package

National Vocational Certificate Level 2 Version 1 - February 2020

Title of Qualification:	CS Code:	Level: 2	Version:
Competency Standard Title: Carry Out Mock up (Khaka) Development	Assessment [Date (DD/MM/YY):

Candidate Details	Name:
	Registration/Roll Number:
Guidance for Candidate	 To meet this standard, you are required to complete the following within the given time frame (for practical demonstration & assessment): Assessment Task 1: Candidate is required to Trace the design as per artwork/design provided by the assesor Assessment Task 2: Candidate is required to Punch the design as given by the assessor And complete: Knowledge assessment test (Written or Oral) Portfolios at the time of assessment (if any)
	During a practical assessment, under observation by an assessor, you will complete:
	Assessment Task 1: Candidate is required to Trace the design as per artwork/design provided by the assessor
	Performance Criteria 1: Wear personal protective equipment according to job requirements.
	Performance Criteria 2: Clean and properly store personal protective equipment
	Performance Criteria 3: Gather required tools for work area for tracing
	Performance Criteria 4: Trace drawing on the tracing sheet as per given design
Minimum Evidence Required	Performance Criteria 5: Place the tools equipment etc at their prescribed place after completion of work
	Assessment Task 2: Candidate is required to Punch the design as given by the assessor
	Performance Criteria 1: Wear personal protective equipment according to job requirements.
	Performance Criteria 2: Clean and properly store personal protective equipment
	Performance Criteria 3: Punch hole on all elements of drawing
	Performance Criteria 4: Transfer the punched design on the material Performance Criteria 5: Place the tools equipment etc at their prescribed
	place after completion of work

Continued on following page

Candidate Details	Name: Candidate Signature:	
Assessment Outcome	COMPETENT Name of the Assessor: Signature of the Assessor:	

Assessment Summary (to be filled by the assessor)							
Activity	Method		Result				
Nature of Activity	Written Oral Observation Portfolio Role Play		Competent	Not Yet Competent			
Practical Skill Demonstration			✓				
Knowledge Assessment	~						
Other Requirement							

Each Assessment Task (with performance criteria)						
Assessment Task 1: Candidate is required to trace the design as per artwork/design provided by the assessor		Description of assessment task 1				
During the practical assessment, candidate demonstrated the following:				No	Remarks	
1.	1. Performance Criteria 1: Wear personal protective equipment according to job requirements.					
2.	2. Performance Criteria 2: Clean and properly store personal protective equipment					
3.	3. Performance Criteria 3: Gather required tools for work area for tracing					
4. Performance Criteria 4: Trace drawing on the tracing sheet as per given design						
5. Performance Criteria 5: Place the tools equipment etc at their prescribed place after completion of work						
Compe	tent 🗆	Not Yet Compe	etent 🛛			

	sment Task 2: Candidate is required ch the design as given by the assessor	Description of assessment task 2			
During the practical assessment, candidate demonstrated the following:			Yes	No	Remarks
1.	Performance Criteria 1: Wear personal protective equipment according to job requirements.				
2.	Performance Criteria 2: Clean and properly store personal protective equipment				
3.	3. Performance Criteria 3: Punch hole on all elements of drawing				
4.	Performance Criteria 4: Transfer the punched design on the material				
5.	5. Performance Criteria 5: Place the tools equipment etc at their prescribed place after completion of work				
Compe	etent 🗆	Not Yet Compe	tent 🛛		

Title of Qualification:	CS Code:	Level:	Version:		
		2			
Competency Standard Title:	Assessment Date (DD/MM/YY):				
Carry Out Different Types of Embroidery Stitches					

Candidate Details	
	Registration/Roll Number:
	To meet this standard, you are required to complete the following within the given time frame (for practical demonstration & assessment):
Guidance for Candidate	 Assessment Task 1: Candidate is required to carry out any 03 types of Flat Stitches assigned by the assessor Assessment Task 2: Candidate is required to carry out 02 types of different type of loop stitches as specified by assessor Assessment Task 3: Candidate is required to carry out any 02 type of knot Stitch assigned by the assessor
	And complete:
	 Knowledge assessment test (Written or Oral) Portfolios at the time of assessment (if any)
	During a practical assessment, under observation by an assessor, you will complete:
	Assessment Task 1: Candidate is required to carry out any 03 types of Flat Stitches assigned by the assessor
	Performance Criteria 1: Wear personal protective equipment according to job requirements.
	Performance Criteria 2: Clean and properly store personal protective equipment
	Performance Criteria 3: Clean the workstation from dust, fluff and oil
Minimum	Performance Criteria 4: Trace design on tracing sheet [butter paper, PVC, etc.] to be embroidered if required
Evidence	Performance Criteria 5: Transfer the design on given material
Required	Performance Criteria 6: Fix and tighten the fabric/material on the machine (hoop) while avoiding plication (fold)
	Performance Criteria 7: Perform basting to start embroidery on the fabric/material
	Performance Criteria 8: Preform the flat embroidery stitches following the transferred design lines
	Performance Criteria 9: Perform basic type of flat stitches (Running, Back & Stem), while ensuring firmness of embroidery stitches
	Performance Criteria 10: Perform embroidery using required type of flat stitches (Herringbone, Skip, Satin, long & short, shade, couching, cross), while ensuring firmness of embroidery stitches

Performance Criteria 11: Lock the embroidery work with final stitch while avoiding tightness
Performance Criteria 12: Control the quality of embroidery according to quality standards and the artwork specifications
Performance Criteria 13: Perform finishing procedures includes clipping, stair removal and ironing of final product
Performance Criteria 14: Place the tools equipment etc at their prescribed place after completion of work
EXAMPLE 1 Second a second at the second at
Performance Criteria 1: Wear personal protective equipment according to job requirements.
Performance Criteria 2: Clean and properly store personal protective equipment
Performance Criteria 3: Clean the workstation from dust, fluff and oil Performance Criteria 4: Trace design on tracing sheet [butter paper, PVC, etc.] to be embroidered if required
Performance Criteria 5: Transfer the design on given material
Performance Criteria 6: Fix and tighten the fabric/material on the machine (hoop) while avoiding plication (fold)
Performance Criteria 7: Perform basting to start embroidery on the fabric/material
Performance Criteria 8: Preform the loop embroidery stitch following the traced/ transferred design lines
Performance Criteria 9: Carry out embroidery using required type of loop stitches (chain, button hole, blanket, fishbone, feather, fly) while ensuring firmness of embroidery stitches
Performance Criteria 10: Lock the embroidery work with final stitch while avoiding tightness according to quality standards and the artwork specifications
Performance Criteria 11: Perform finishing procedures includes clipping, stair removal and ironing of final product
Example 1 Semiconductive strength is required to carry out any 02 type of knot Stitch and by the assessor
Performance Criteria 1: Wear personal protective equipment according to job requirements.
Performance Criteria 2: Clean and properly store personal protective equipment
Performance Criteria 3: Clean the workstation from dust, fluff and oil
Performance Criteria 4: Trace design on tracing sheet [butter paper, PVC, etc.] to be embroidered if required
Performance Criteria 5: Transfer the design on given material
Performance Criteria 5: Transfer the design on given material Performance Criteria 6: Fix and tighten the fabric/material on the machine (hoop) while avoiding plication (fold)
Performance Criteria 5: Transfer the design on given material Performance Criteria 6: Fix and tighten the fabric/material on the machine

	Performance Criteria 9: Carry out embroidery required type of knot stitches (French knot, Double knot and Bullion knot) as per given design while ensuring firmness of stitches:
	Performance Criteria 10: Lock the embroidery work with final stitch while avoiding tightness according to quality standards and the artwork specifications
	Performance Criteria 11: Perform finishing procedures includes clipping, stain removal and ironing of final product
Po	ortfolios required at the time of assessment (if any) for
	Portfolio for completed work on embroidery Stitches

Continued on following page

Candidate Details	Name:	C C
Assessment Outcome	COMPETENT Name of the Assessor: Signature of the Assessor:	NOT YET COMPETENT 🗖

Assessment Summary (to be filled by the assessor)							
Activity	Method			Result			
Nature of Activity	Written Oral Observation Portfolio Role Play		Competent	Not Yet Competent			
Practical Skill Demonstration			✓				
Knowledge Assessment	✓						
Other Requirement							

Each Assessment Task (with performance criteria)					
Assessment Task 1: Candidate is required to Description of asses carry out any 3 Flat Stitches assigned by the assessor					sk 1
During followin	the practical assessment, candidate den g:	nonstrated the	Yes	No	Remarks
	Performance Criteria 1: Wear persona equipment according to job requiremen				
	Performance Criteria 2: Clean and propersonal protective equipment	operly store			
3.	Performance Criteria 3: Clean the wor dust, fluff and oil	rkstation from			
	Performance Criteria 4: Trace design [butter paper, PVC, etc.] to be embroide				_
5.	Performance Criteria 5: Transfer the c material	design on given			
6.	Performance Criteria 6: Fix and tighten the fabric/material on the machine (hoop) while avoiding plication (fold)				
7.	Performance Criteria 7: Perform basting to start embroidery on the fabric/material				
8.	Performance Criteria 8: Preform the flat embroidery stitches following the transferred design lines				
9.	Performance Criteria 9: Perform basic type of flat stitches (Running, Back & Stem), while ensuring firmness of embroidery stitches				
10.	Performance Criteria 10: Perform embroidery using required type of flat stitches (Herringbone, Skip, Satin, long & short, shade, couching, cross), while ensuring firmness of embroidery stitches				
	Performance Criteria 11: Lock the embroidery work with final stitch while avoiding tightness				
12.	2. Performance Criteria 12: Control the quality of embroidery according to quality standards and the artwork specifications				
13.	3. Performance Criteria 13: Perform finishing procedures includes clipping, stain removal and ironing of final product				
14.	14. Performance Criteria 14: Place the tools equipment etc at their prescribed place after completion of work				
Competent Not Yet Compet			ent 🛛		

Assessment Task 2: Candidate is required to carry out 02 different type of loop stitches as specified by assessor				isk 2	
During followir	the practical assessment, candidate de	monstrated the	Yes	No	Remarks
1	Performance Criteria 1: Wear personal protective equipment according to job requirements.				
2	Performance Criteria 2: Clean and protective equipment	roperly store			
3	Performance Criteria 3: Clean the word dust, fluff and oil	orkstation from			
4	Performance Criteria 4: Trace design on tracing sheet [butter paper, PVC, etc.] to be embroidered if required				
5	Performance Criteria 5: Transfer the design on given material				
6	Performance Criteria 6: Fix and tighten the fabric/material on the machine (hoop) while avoiding plication (fold)				
7	Performance Criteria 7: Perform basting to start embroidery on the fabric/material				
8	Performance Criteria 8: Preform the loop embroidery stitch following the traced/ transferred design lines				
9	Performance Criteria 9: Carry out embroidery using required type of loop stitches (chain, button hole, blanket, fishbone, feather, fly) while ensuring firmness of embroidery stitches				
10	Performance Criteria 10: Lock the embroidery work with final stitch while avoiding tightness according to quality standards and the artwork specifications				
11	Performance Criteria 11: Perform finishing procedures includes clipping, stain removal and ironing of final product				
Competent D Not Yet Competent			etent 🗆		

During followin	the practical assessment, candidate de g:	monstrated the	Yes	No	Remarks
1.	Performance Criteria 1: Wear persor equipment according to job requirement				
2.	Performance Criteria 2: Clean and p personal protective equipment	roperly store			
3.	Performance Criteria 3: Clean the wordust, fluff and oil	orkstation from			
4.	Performance Criteria 4: Trace design sheet [butter paper, PVC, etc.] to be e required				
5.	Performance Criteria 5: Transfer the given material	design on			
6.	Performance Criteria 6: Fix and tighten the fabric/material on the machine (hoop) while avoiding plication (fold)				
7.	Performance Criteria 7: Perform basting to start embroidery on the fabric/material				
8.	Performance Criteria 8: Preform the knot embroidery stitch following the traced/ transferred design lines				
9.	Performance Criteria 9: Carry out embroidery required type of knot stitches (French knot, Double knot and Bullion knot) as per given design while ensuring firmness of stitches:				
10.	Performance Criteria 10: Lock the embroidery work with final stitch while avoiding tightness according to quality standards and the artwork specifications				
11.	 Performance Criteria 11: Perform finishing procedures includes clipping, stain removal and ironing of final product 				
Competent Not Yet Competent					

Title of Qualification:	CS Code:	Level: 2	Version:
Competency Standard Title: Perform Surface Decorative Embroidery	Assessment [Date (DD/MM/YY):

Candidate Details	Name:
	Registration/Roll Number:
	To meet this standard, you are required to complete the following within the given time frame (for practical demonstration & assessment):
Guidance for Candidate	 Assessment Task 1: Candidate is required to perform Applique work as per design and instructions provided by assessor Assessment Task 2: Candidate is required to execute cut work as per design and instruction given by assessor Assessment Task 3: Candidate is required to carry out cord (dori) work as per design and instructions given by assessor Assessment Task 4: Candidate is required to carry out ribbon work as per design and instructions given by assessor Assessment Task 5: Candidate is required to carry out ribbon work as per design and instructions given by assessor Assessment Task 5: Candidate is required to carry out quilt techniques as per design and instructions given by assessor Assessment Task 6: Candidate is required to Carry out drawn thread (tarkashi) work as per design and instructions given by assessor Assessment Task 7: Candidate is required to execute smocking technique as per design and instructions given by assessor Assessment Task 7: Candidate is required to execute smocking technique as per design and instructions given by assessor Assessment Task 7: Candidate is required to execute smocking technique as per design and instructions given by assessor

Performance Criteria 3: Clean the workstation area to make it free from any potential hazardsPerformance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equiedMinimum Evidence RequiredPerformance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be done Performance Criteria 8: Use the materials that are free from faults Performance Criteria 9: Make an estimated calculation of material consumption for required work Performance Criteria 10: Transfer design on given applique material Performance Criteria 11: Fuse applique material [if requied] using ironing/pinning/basting process while maintaining surface evenness Performance Criteria 12: Cut material from design outline or Cut the material with seam allowance for rali work, whichever required according to design Performance Criteria 13: Tack applique patch with embroidery stitches on given material at designated position Performance Criteria 14: Lock the embroidery work with final stitch while		During a practical assessment, under observation by an assessor, you will complete:
requirements.Performance Criteria 2: Clean and properly store personal protective equipmentPerformance Criteria 3: Clean the workstation area to make it free from any potential hazardsPerformance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equiedPerformance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plicationPerformance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be donePerformance Criteria 8: Use the materials that are free from faults Performance Criteria 10: Transfer design on given applique material consumption for required workPerformance Criteria 11: Fuse applique material [if requied] using ironing/pinning/basting process while maintaining surface evenness Performance Criteria 12: Cut material from design outline or Cut the material with seam allowance for rali work, whichever required according to design Performance Criteria 13: Tack applique patch with embroidery stitches on given material at designated position Performance Criteria 14: Lock the embroidery work with final stitch while		
Performance Criteria 15: Control the quality of embroidery according to quality standards and the artwork specifications	Evidence	 Performance Criteria 1: Wear personal protective equipment according to job requirements. Performance Criteria 2: Clean and properly store personal protective equipment Performance Criteria 3: Clean the workstation area to make it free from any potential hazards Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be done Performance Criteria 9: Make an estimated calculation of material consumption for required work Performance Criteria 10: Transfer design on given applique material Performance Criteria 11: Fuse applique material [if requied] using ironing/pinning/basting process while maintaining surface evenness Performance Criteria 13: Tack applique patch with embroidery stitches on given material 14: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 15: Control the quality of embroidery according to quality standards and the artwork specifications

Assessment Task 2: Candidate is required to execute cut work as per design and instruction given by assessor
Performance Criteria 1: Wear personal protective equipment according to job requirements.
Performance Criteria 2: Clean and properly store personal protective equipment
Performance Criteria 2: Clean the workstation area to make it free from any potential hazards
Performance Criteria 4: Transfer traced design on given material
Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied
Performance Criteria 6: Fix and tighten the fabric/material on the hand
frame/frame(adda) while avoiding plication
Performance Criteria 7: Select appropriate needle & thread considering the
texture, fiber and type of embroidery to be done
Performance Criteria 8: Use the materials that are free from faults
Performance Criteria 9: Perform basting to start embroidery on the fabric/material
Performance Criteria 10: Perform embroidery followed by lock/chain stitch on given material following the traced/ transferred design lines/dots
Performance Criteria 11: Cut the negative areas of design with appropriate tool
Performance Criteria 12: Perform button hole stitch to achieve even borderline finishes
Performance Criteria 13: Lock the embroidery work with final stitch while avoiding tightness
Performance Criteria 14: Control the quality of embroidery according to quality
standards and the artwork specifications
Performance Criteria 15: Perform finishing procedures includes clipping, stain removal and ironing of final product

Assessment Task 3: Candidate is required to carry out cord (dori) work as per design and instructions given by assessor
Performance Criteria 1: Wear personal protective equipment according to job requirements.
Performance Criteria 2: Clean and properly store personal protective equipment
Performance Criteria 3: Clean the workstation area to make it free from any potential hazards
Performance Criteria 4: Transfer traced design on given material
Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied
Performance Criteria 6: Fix and tighten the fabric/material on the hand
frame/frame(adda) while avoiding plication
Performance Criteria 7: Select appropriate needle & thread considering the
texture, fiber and type of embroidery to be done
Performance Criteria 8: Use the materials that are free from faults
Performance Criteria 9: Perform basting to start embroidery on the fabric/material
Performance Criteria 10: Develop a cord with different material as per design requirement
Performance Criteria 11: Fix cord in the given design with overlap embroidery stitch considering tightness
Performance Criteria 12: Lock the embroidery work with final stitch while avoiding tightness
Performance Criteria 13: Control the quality of embroidery according to quality standards and the artwork specifications
Performance Criteria 14: Perform finishing procedures includes clipping, stain removal and ironing of final product

Assessment Task 4: Candidate is required to carry out ribbon work as per design and instructions given by assessor
Performance Criteria 1: Wear personal protective equipment according to job requirements.
Performance Criteria 2: Clean and properly store personal protective equipment Performance Criteria 3: Clean the workstation area to make it free from any potential hazards
Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied
Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication
Performance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be done Performance Criteria 8: Use the materials that are free from faults
Performance Criteria 9: Perform basting to start embroidery on the fabric/material
Performance Criteria 10: Burn ribbon from starting and ending points Performance Criteria 11: Attach ribbon with sew-in procedure by following design
Performance Criteria 12: Develop ribbon ornamenets (flower, petal etc.) by twisting and folding techniques as per design requirements
Performance Criteria 13: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 14: Control the quality of embroidery according to quality
standards and the artwork specifications Performance Criteria 15: Perform finishing procedures includes clipping, stain
removal and ironing of final product

Assessment Task 5: Candidate is required to carry out quilt techniques as per design and instructions given by assessor
Performance Criteria 1: Wear personal protective equipment according to job
requirements.
Performance Criteria 2: Clean and properly store personal protective equipment Performance Criteria 3: Clean the workstation area to make it free from any potential hazards
Performance Criteria 4: Transfer traced design on given material
Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied
Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication
Performance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be done
Performance Criteria 8: Use the materials that are free from faults
Performance Criteria 9: Estimate material consumption according to given design
Performance Criteria 10: Select appropriate needle & thread considering the texture, fiber of material for embroidery on quilt
Performance Criteria 11: Iron the material and transfer given design on given material to remove plication
Performance Criteria 12: Perform cutting of the material to be quilted
Performance Criteria 13: Perform basting to start embroidery on the fabric/material
Performance Criteria 14: Pin and sew material with quilt backing sheet by avoid puckering under the given material
Performance Criteria 15: Lock the embroidery work with final stitch while avoiding tightness
Performance Criteria 16: Control the quality of embroidery according to quality standards and the artwork specifications
Performance Criteria 17: Perform finishing procedures includes clipping, stain removal and ironing of final product

Assessment Task 6: Candidate is required to Carry out drawn thread (tarkashi) work as per design and instructions given by assessor
Performance Criteria 1: Wear personal protective equipment according to job requirements.
Performance Criteria 2: Clean and properly store personal protective equipment
Performance Criteria 3: Clean the workstation area to make it free from any potential hazards
Performance Criteria 4: Transfer traced design on given material
Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equipped
Performance Criteria 6: Fix and tighten the fabric/material on the hand
frame/frame(adda) while avoiding plication
Performance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be done
Performance Criteria 8: Use the materials that are free from faults
Performance Criteria 9: Mark the given design on fabric
Performance Criteria 10: Select appropriate needle according to fabric weave
Performance Criteria 11: Pick out threads from the warp or the weft of a piece
of even weave fabric by avoiding breakage of the thread
Performance Criteria 12: Make Knot and wrap embroidery thread delicately on left fabric weave (warp/Weft) to create a required design, while counting number
of warp/weft
Performance Criteria 13: Make a Knot of the embroidery thread edges by
avoiding crumpling of warp/weft
Performance Criteria 14: Perform finishing procedures includes clipping, stain
removal and ironing of final product

Assessment Task 7: Candidate is required to execute smocking technique as per design and instructions given by assessor
Performance Criteria 1: Wear personal protective equipment according to job requirements.
Performance Criteria 2: Clean and properly store personal protective equipment
Performance Criteria 3: Clean the workstation area to make it free from any potential hazards
Performance Criteria 4: Transfer traced design on given material
Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equipped
Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication
Performance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be done
Performance Criteria 8: Use the materials that are free from faults
Performance Criteria 7: Mark the given design on the fabric
Performance Criteria 9: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil.
Performance Criteria 10: Perform basting on the dots to start smocking embroidery technique
Performance Criteria 11: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread
Performance Criteria 12: Perform stem stitch in two pleats of the fabric and
join the pleats one by one with continuity
Performance Criteria 13: Perform wave stitch between all pleats to make
zigzag pattern and Knot the embroidery thread edges
Performance Criteria 14: Perform finishing procedures includes clipping and
stain removal of final product

Continued on following page

Candidate Details	Name:	C C
Assessment Outcome	COMPETENT Name of the Assessor: Signature of the Assessor:	NOT YET COMPETENT 🗖

Assessment Summary (to be filled by the assessor)							
Activity	Method			Result			
Nature of Activity	Written	Oral	Observation	Portfolio	Role Play	Competent	Not Yet Competent
Practical Skill Demonstration			✓				
Knowledge Assessment	~	~					
Other Requirement							

Each Assessment Task (with performance criteria)				
Assessment Task 1: Perform Applique work as per design and instructions provided by assessor	Description of assessment task 1			

During followin	the practical assessment, candidate de g:	monstrated the	Yes	No	Remarks
1.	Performance Criteria 1: Wear person equipment according to job requirement				
2.	Performance Criteria 2: Clean and personal protective equipment	roperly store			
3.	Performance Criteria 3: Clean the wo to make it free from any potential haza				
4.	Performance Criteria 4: Transfer trac given material	ed design on			
5.	Performance Criteria 5: Fix the patte embroidery hoop/adda with the help of equied				
6.	Performance Criteria 6: Fix and tight fabric/material on the hand frame/fram avoiding plication				
7.	Performance Criteria 7: Select appro & thread considering the texture, fiber embroidery to be done				
8.	Performance Criteria 8: Use the mate free from faults	erials that are			
9.	Performance Criteria 9: Make an estical calculation of material consumption for work				
10.	Performance Criteria 10: Transfer de applique material	esign on given			
11.	Performance Criteria 11: Fuse applic requied] using ironing/pinning/basting maintaining surface evenness				
12.	Performance Criteria 12: Cut materia outline or Cut the material with seam a rali work, whichever required according	allowance for			
13.	Performance Criteria 13: Tack applique patch with embroidery stitches on given material at designated position				
14.	Performance Criteria 14: Lock the embroidery work with final stitch while avoiding tightness				
15.	Performance Criteria 15: Control the quality of embroidery according to quality standards and the artwork specifications				
16.	Performance Criteria 16: Perform finishing 16. procedures includes clipping, stain removal and ironing of final product				
Compe	tent 🗆	Not Yet Compe	etent 🛛		

Assessment Task 2: Candidate is required Description of to execute cut work as per design and instruction given by assessor			assess	ment ta	sk 2
During followir	the practical assessment, candidate de lg:	monstrated the	Yes	No	Remarks
1.	Performance Criteria 1: Wear persor equipment according to job requirement				
2.	Performance Criteria 2: Clean and p personal protective equipment	roperly store			
3.	Performance Criteria 3: Clean the we to make it free from any potential haza				
4.	Performance Criteria 4: Transfer trac given material	ced design on			
5.	Performance Criteria 5: Fix the patter embroidery hoop/adda with the help or equied				
6.	Performance Criteria 6: Fix and tight fabric/material on the hand frame/fram avoiding plication				
7.	Performance Criteria 7: Select appro. & thread considering the texture, fiber embroidery to be done				
8.	Performance Criteria 8: Use the mat free from faults	erials that are			
9.	Performance Criteria 9: Perform bas embroidery on the fabric/material	ting to start			
10.	Performance Criteria 10: Perform embroidery followed by lock/chain stitch on given material following the traced/ transferred design lines/dots				
11.	Performance Criteria 11: Cut the neg design with appropriate tool	gative areas of			
12.	Performance Criteria 12: Perform button hole stitch to achieve even borderline finishes				
13.	Performance Criteria 13: Lock the embroidery work with final stitch while avoiding tightness				
14.	Performance Criteria 14: Control the quality of embroidery according to quality standards and the artwork specifications				
15.	Performance Criteria 15: Perform finishing procedures includes clipping, stain removal and ironing of final product				
Compe	tent 🛛	Not Yet Compe	etent 🛛		

Assessment Task 3: Candidate is required Description to carry out cord (dori) work as per design and instructions given by assesor				ment ta	ask 3
During followin	the practical assessment, candidate der g:	monstrated the	Yes	No	Remarks
1.	Performance Criteria 1: Wear person equipment according to job requirement				
2.	Performance Criteria 2: Clean and pr personal protective equipment	operly store			
3.	Performance Criteria 3: Clean the wo to make it free from any potential haza				
4.	Performance Criteria 4: Transfer trac given material	ed design on			
5.	Performance Criteria 5: Fix the patter embroidery hoop/adda with the help of equied				
6.	Performance Criteria 6: Fix and tighter fabric/material on the hand frame/fram avoiding plication				
7.	Performance Criteria 7: Select appro & thread considering the texture, fiber embroidery to be done				
8.	Performance Criteria 8: Use the mate free from faults	erials that are			
9.	Performance Criteria 9: Perform bast embroidery on the fabric/material	ting to start			
10.	Performance Criteria 10: Develop a c different material as per design require				
11.	Performance Criteria 11: Fix cord in t design with overlap embroidery stitch o tightness				
12.	Performance Criteria 12: Lock the embroidery work with final stitch while avoiding tightness				
13.	Performance Criteria 13: Control the quality of embroidery according to quality standards and the artwork specifications				
14.	 Performance Criteria 14: Perform finishing 14. procedures includes clipping, stain removal and ironing of final product 				
Compe	tent 🗆	Not Yet Compe	etent 🛛		·

Assessment Task 4: Candidate is required to carry arry out ribbon work as per design and instructions given by assesor					ask 4
During followin	the practical assessment, candidate der g:	monstrated the	Yes	No	Remarks
1.	Performance Criteria 1: Wear person equipment according to job requirement				
2.	Performance Criteria 2: Clean and pr personal protective equipment	operly store			
3.	Performance Criteria 3: Clean the wo to make it free from any potential haza				
4.	Performance Criteria 4: Transfer trac given material	ed design on			
5.	Performance Criteria 5: Fix the patter embroidery hoop/adda with the help of equied				
6.	Performance Criteria 6: Fix and tighter fabric/material on the hand frame/fram avoiding plication				
7.	Performance Criteria 7: Select appro & thread considering the texture, fiber embroidery to be done				
8.	Performance Criteria 8: Use the mate free from faults	erials that are			
9.	Performance Criteria 9: Perform bast embroidery on the fabric/material	ting to start			
10.	Performance Criteria 10 : Burn ribbon and ending points	from starting			
11.	Performance Criteria 11: Attach ribbo procedure by following design	on with sew-in			
12.	Performance Criteria 12: Develop rib ornamenets (flower, petal etc.) by twist folding techniques as per design requir	ting and			
13.	Performance Criteria 13 : Lock the embroidery work with final stitch while avoiding tightness				
14.	Performance Criteria 14: Control the quality of embroidery according to quality standards and the artwork specifications				
15.	Performance Criteria 15: Perform fini procedures includes clipping, stain rem ironing of final product				
Compe	tent 🗆	Not Yet Compe	tent 🗆	•	

Assessment Task 5: Candidate is required to Carry out quilt techniques as per design and instructions given by assesor	Description of assessment task 5		
During the practical assessment, candidate demonstrated the following:	Yes	No	Remarks
1. 1	Performance Criteria 1: Wear personal protective equipment according to job requirements.		
2. 2	Performance Criteria 2: Clean and properly store personal protective equipment		
3. 3	Performance Criteria 3: Clean the workstation area to make it free from any potential hazards		
4.	Performance Criteria 4: Transfer traced design on given material		
5.	Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied		
6.	Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication		
7. 4	Performance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be done		
8. 5	Performance Criteria 8: Use the materials that are free from faults		
9. 6	Performance Criteria 9: Estimate material consumption according to given design		
10. 7	Performance Criteria 10: Select appropriate needle & thread considering the texture, fiber of material for embroidery on quilt		
11.	Performance Criteria 11: Iron the material and transfer given design on given material to remove plication		
12.	Performance Criteria 12: Perform cutting of the material to be quilted		
13.	Performance Criteria 13: Perform basting to start embroidery on the fabric/material		
14.	Performance Criteria 14: Pin and sew material with quilt backing sheet by avoid puckering under the given material		
15.	Performance Criteria 15: Lock the embroidery work with final stitch while avoiding tightness		
16.	Performance Criteria 16: Control the quality of embroidery according to quality standards and the artwork specifications		

17.	Performance Criteria 17: Perform finishing procedures includes clipping, stain removal and ironing of final product		
Competent	Not Yet Competent		
Assessment Task 6: Candidate is required to Carry out drawn thread (tarkashi) work as per design and instructions given by assesor	Description of assessment task 6		

During the practical a demonstrated the fol	assessment, candidate Iowing:	Yes	No	Remarks
1. 1	Performance Criteria 1: Wear personal protective equipment according to job requirements.			
2. 2	Performance Criteria 2: Clean and properly store personal protective equipment			_
3. 3	Performance Criteria 3: Clean the workstation area to make it free from any potential hazards			
4.	Performance Criteria 4: Transfer traced design on given material			
5.	Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equipped			
6.	Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication			
7. 4	Performance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be done			
8. 5	Performance Criteria 8: Use the materials that are free from faults			
9. 6	Performance Criteria 9: Mark the given design on fabric			
10.	Performance Criteria 10: Select appropriate needle according to fabric weave			
11.	Performance Criteria 11: Pick out threads from the warp or the weft of a piece of even weave fabric by avoiding breakage of the thread			
12.	Performance Criteria 12: Make Knot and wrap embroidery thread delicately on left fabric weave (warp/Weft) to create a required design, while counting number of warp/weft			
13.	Performance Criteria 13: Make a Knot of the embroidery thread edges by avoiding crumpling of warp/weft			

14.	Performance Criteria 14: Perform finishing procedures includes clipping, stain removal and ironing of final product				
Competent		Not Ye	t Competer	nt 🗖	

to exec	sment Task 7: Candidate is required cute smocking technique as per design structions given by assessor	Description of	assess	ment ta	ask 7
During followi	the practical assessment, candidate de ng:	monstrated the	Yes	No	Remarks
1	erformance Criteria 1: Wear persona equipment according to job requireme				
2	Performance Criteria 2: Clean and personal protective equipment	roperly store			_
3	Performance Criteria 3: Clean the work to make it free from any potential haza				-
4	Performance Criteria 4: Transfer trac given material	ced design on			-
5	Performance Criteria 5: Fix the patte embroidery hoop/adda with the help of equipped				
6	Performance Criteria 6: Fix and tight fabric/material on the hand frame/fram avoiding plication				
7	Performance Criteria 7: Select appropriate needle & thread considering the texture, fiber and type of embroidery to be done				
	Performance Criteria 8: Use the materials that are free from faults				
	Performance Criteria 7: Mark the given design on the fabric				
	Performance Criteria 9: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil.				
	Performance Criteria 10: Perform ba dots to start smocking embroidery tech	•			
	Performance Criteria 11: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread				
	Performance Criteria 12: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity				
	Performance Criteria 13: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges				
	Performance Criteria 14: Perform fin procedures includes clipping and stain final product				
Compe	etent 🗆	Not Yet Compe	etent 🗆		

Title of Qualification:	CS Code:	Level: 2	Version:
Competency Standard Title: Perform Finishing and Packing Operations	Assessment [Date (DD/MM/YY):

Candidate Details	Name:
	Registration/Roll Number:
	To meet this standard, you are required to complete the following within the given time frame (for practical demonstration & assessment):
Guidance for Candidate	Assessment Task 1: Candidate is required to Inspect the embroided product as per design's specifications provided by assessor Assessment Task 2: Candidate is required to Perform surface finishing operations of the final product as per product's requirement Assessment Task 3: Candidate is required to Pack the final product in polybag/box provide by the assessor
	And complete:
	 Knowledge assessment test (Written or Oral) Portfolios at the time of assessment (if any)
	During a practical assessment, under observation by an assessor, you will complete:
	Assessment Task 1: Candidate is required to Inspect the embroided product as per design`s specifications provided by assessor
	Performance Criteria 1: Clean the product from dust and stains Performance Criteria 2: Inspect the product for all quality requirements as per product design Performance Criteria 3: Mark all defects / noncompliance areas on the product
Minimum Evidence Required	with prescribed tools Performance Criteria 4: Prepare inspection report on the prescribed format Performance Criteria 5: Use appropriate non-verbal behaviour at all the times Performance Criteria 6: Wear personal protective equipment according to job requirement
	Assessment Task 2: Candidate is required to Perform surface finishing operations of the final product as per product's requirement
	Performance Criteria 1 : Remove reinforcement material from the embroided fabric/material Performance Criteria 2 : Perform finishing procedures including clipping, stain removal from the final product, if required.

Assessment Task 3: Assessment Task 3: Candidate is required to Pack the final product in polybag/box provide by the assessor
 Performance Criteria 1: Apply tags and labels as per company or customer requirements Performance Criteria 2: Pack the product as per shipment/customer requirements Performance Criteria 3: Apply labels (bar code, identification etc.) on the package as per shipment/customer requirements Performance Criteria 4: Prepare packing report on the prescribed format

Candidate Details	Name: Candidate Signature:	C C
Assessment Outcome	COMPETENT Name of the Assessor: Signature of the Assessor:	

Assessment Summary (to be filled by the assessor)							
Activity	Method				Result		
Nature of Activity	Written	Written Oral Observation Portfolio Role Play		Competent	Not Yet Competent		
Practical Skill Demonstration			~				
Knowledge Assessment	~	~					
Other Requirement							

Each Assessment Task (with performance criteria)					
Assessment Task 1: Candidate is required to Inspect the embroided product as per design`s specifications provided by assessor	Description of assessment task 1				

During the practical assessment, candidate demonstrated the following:			Yes	No	Remarks
1	Performance Criteria 1: Clean the product from dust and stains				
2	Performance Criteria 2: Inspect the product for all quality requirements as per product design				
3	Performance Criteria 3: Mark all defects / noncompliance areas on the product with prescribed tools				
4	Performance Criteria 4: Prepare inspection report on the prescribed format				
5	Performance Criteria 5: Use appropriate non-verbal behavior at all the times				
6	Performance Criteria 6: Wear personal protective equipment according to job requirement				
Competent Not Yet Con		Not Yet Compe	tent 🛛		

Assessment Task 2: Candidate is required to Perform surface finishing operations of the final product as per product's requirement		Description of assessment task 2			
During the practical assessment, candidate demonstration following:		monstrated the	Yes	No	Remarks
1	Performance Criteria 1 : Remove reinforcement material from the embroided fabric/material				
2	2 Performance Criteria 2: Perform finishing procedures including clipping, stain removal from the final product, if required.				
Competent		Not Yet Compe	etent 🛛		

Assessment Task 3: Candidate is required to Pack the final product in polybag/box provide by the assessor		Description of	assessi	ment ta	sk 3
During the practical assessment, candidate der following:		monstrated the	Yes	No	Remarks
1	Performance Criteria 1: Apply tags and labels as per company or customer requirements				
2	Performance Criteria 2: Pack the product as per shipment/customer requirements				
3	Performance Criteria 3: Apply labels (bar code, identification etc.) on the package as per shipment/customer requirements				
4	4 Performance Criteria 4: Prepare packing report on the prescribed format				
Competent 🛛		Not Yet Compe	etent 🛛		

Title of Qualification:	CS Code:	Level: 2	Version:
Competency Standard Title: Carry out Khaka (Mock Up) Development	Assessment [Date (DD/MM/YY):

Guidance for Candidate	To complete your assessment for this Competency Standard, you need to answer the questions on the following pages successfully.
------------------------------	---

Candidate Details	Name: Candidate Signature:	C C C C C C C C C C C C C C C C C C C
Written Assessment Outcome	COMPETENT Name of the Assessor: Signature of the Assessor:	NOT YET COMPETENT 🗖 Assessor's code:

Title of Qualification:	CS Code:	Level:	Version:
Competency Standard Title:	Assessment D	ate (DD/MM/YY):
Carry out Khaka (Mock Up) Development			

Question		Candidate's answer		
1.	Why it is necessary to perfom cleaning at the workplace?	 To avoid stains on the material To maintain the neatness of the embroided material 		
2.	What tools and materials are required for tracing?	 Butterpaper Design Pencil, rubber and sharpner Tracing Wheel Needles Common Pin 		
3.	What are personal protective equipments?	Gloves, apron, mask, headcover, glasses etc are called personal protective equipment		
4.	How can we perform finishing of the embroidery?	 Clipping Stain removal by lotions or detergent Ironing 		
5.	Select the correct option related to thimble	 a. Thimble is used for the beautification b. Thimble helps you clean the embroidery c. Thimble prevents your finger from needle d. Thimble does nothing of the above 		
6.	What is the reason of appearing hidden thread on the embroidery?	 a. It is a style of embroidery b. Screw of bobbin case is loose c. Frame is not set properly d. None of the above 		

Questi	ion	Candidate's answer
7.	Why do we use skip stitch normally?	 a. For making of narrow design b. For shade work c. Both a & b d. For the filling of the big design
8.	Which stitch is normally used for applique work?	 a. Satin Stitch b. Shade Stitch c. Running Stitch d. All of the above
9.	Which part of the following is used to tight or loose the thread of the machine?	 a. Bobbin case b. Tension set c. Belt d. Paddle

Title of Qualification:	CS Code:	Level: 2	Version:
Competency Standard Title:	Assessment [<u> </u>
Carry Out Different Types of Embroidery Stitches		Date (DD/MM/YY	'):

Guidance for Candidate	To complete your assessment for this Competency Standard, you need to answer the questions on the following pages successfully.
------------------------------	---

Assessors Guide (to be completed by the Assessor and signed both by the assessor and the candidate after the assessment)

Candidate Details	Name: Candidate Signature:	-
Written Assessment Outcome	COMPETENT Name of the Assessor: Signature of the Assessor:	NOT YET COMPETENT 🗖 . Assessor's code:

Title of Qualification:	CS	S Code:	Level:	Version:
			2	
Competency Standard Title:	As	ssessment Da	ate (DD/MM/YY)):
Carry Out Different Types of Embroidery Stitches			-	

Question		Candidate's answer		
1.	How many types of flat stitches are there?	There are eight type of flat stitches.		
2.	Write down the names of flat stitches?	Names are as follow:I.Running stitchII.Back StitchIII.Stem StitchIV.Herringbone stitchV.Skip stitchVI.Satin stitchVII.Long and Short stitchVIII.Shade Stitch		
3.	What are the basic stitches of flat stitch?	Running Stitch and back stitch are the basic stitches		
4.	What is the difference between herringbone and shadow work?	Herringbone is a embroidery stitch which is being stitched on the front side of the fabric. Whereas shadow work is being performed on the back of the fabric		
5.	Which stitch is made up of long and short stitch?	Shade stitch is made up of long and short stitch		

Questi	on	Candidate's answer
6.	Which of the following material is used for tracing?	 a. Butterpaper b. Needle c. Hoop d. Scissor
7.	Is basting necessary in embroidery?	a. Yes b. No
8.	Select the initial stitch to start an embroidery?	a. Back Stitch b. Running Stitch c. NA d. Both of the a & b
9.	Why it is necessary to fix fabric on frame?	 a. To tighten fabric b. To loose fabric c. To clean fabric d. To wet fabric
10	. Which type of needle is used in hand embroidery?	 a. 2 number b. 9 number c. 11 number d. Sleek needle

Title of Qualification:	CS Code:	Level: 2	Version:
Competency Standard Title: Perform Surface Decorative Embroidery	Assessment [Date (DD/MM/YY	·):

Guidance for Candidate	To complete your assessment for this Competency Standard, you need to answer the questions on the following pages successfully.
------------------------------	---

Assessors Guide (to be completed by the Assessor and signed both by the assessor and the candidate after the assessment)

Candidate Details	Name: Candidate Signature:	C C C C C C C C C C C C C C C C C C C
Written Assessment Outcome	COMPETENT Name of the Assessor: Signature of the Assessor:	NOT YET COMPETENT 🗖 Assessor's code:

Title of Qualification:		Level:	Version:
Competency Standard Title:	Assessment Date (DD/MM/YY):		
Perform Surface Decorative Embroidery			

Questi	ion	Candidate's answer
1.	Write down the material which is normaly used for embroidery.	 I. Material/Fabric II. Design III. Frame IV. Needles V. Different color threads VI. Decoratives material
2.	How do we select needle and thread for embroidery?	Select the thread with respect to color and texture of material and needle with respect to thread
3.	What are the types of quilting?	There are two types of quilting. I. English II. French
4.	What is the method of threading for tarkashi?	 I. Select the area where tarkashi is going to be done II. Put a brief cut on the appropriate area for the purpose of threading III. Pull the thread vertically or horizantally as per requirement of the design IV. Perform embroidery on the remaining thread
5.	What is the main difference between normal embroidery and ribbon embroidery?	Ribbon embroidery reflect 3D effect, whereas normal embroidery is plain

Questi	ion	Candidate's answer
6.	What is the correct method of locking the ribbon?	a. Knotting b. Burning c. Ironing d. Stitching
7.	Which of the following is correct for quilting?	 a. Avoid plication in the fabric b. Stitch should be same c. Lining of the thread must be equal d. All of the above
8.	Which of the following fabric is easy to thread for tarkashi?	a. Cotton b. Silk c. Khaddi d. Plain Weave
9.	Which stitch is used for applique work?	 a. Running stitch b. Stain stitch c. Button big hole stitch d. Button hole stitch
10	. Select the option which is not related to smocking embroidery	 a. Marking for gathers b. Running stitch for gather c. Plication is not neccasry d. All of the above

Title of Qualification:	CS Code:	Level: 2	Version:
Competency Standard Title: Perform Finishing and Packing Operations	Assessment [Date (DD/MM/YY) :

Guidance for Candidate	To complete your assessment for this Competency Standard, you need to answer the questions on the following pages successfully.
------------------------------	---

Assessors Guide (to be completed by the Assessor and signed both by the assessor and the candidate after the assessment)

Candidate Details	Name: Candidate Signature:	C C C C C C C C C C C C C C C C C C C
Written Assessment Outcome	COMPETENT Name of the Assessor: Signature of the Assessor:	NOT YET COMPETENT 🗖 Assessor's code:

Title of Qualification:		Level:	Version:
Competency Standard Title:	Assessment Date (DD/MM/YY):		
Perform Finishing and Packing Operations			

Questi	on	Candidate's answer
1.	Write down some mistakes, which can effect the finishing of the embroidery.	Fabric gapping Missed trims Needle hole Poor tracing of the design Thick embroidery Poor stitch embroidery
2.	Which tool/material is normally used for marking of defects?	Silver refill and chalk/tailoring chalk
3.	What is the finishing and packing process?	Clip the extra thread and use stain removal for the finishing. Steam press the product Cleanly fold the product Pack the product in bags
4.	Why packing is neccesary for the product?	It creates professional impact on the customer Its keeps the product clean and presentable It creates your company's identity in the market

Title of Qualification:	CS Code:	Level:	Version:
Hand Embroider LEVEL-II		2	
Competency Standard Title: Assessment Date (DD/MM/YY):		´):	
Carry Out Mock up (Khaka) Development		-	-
Carry out different types of Embroidery Stitches Perform Surface Decorative Embroidery	Time: 3 Hours		
Perform Finishing and Packing Operations			

Candidate Details	Name:
	Registration/Roll Number:
	To meet this standard, you are required to complete the following within the given time frame (for practical demonstration & assessment):
Guidance for Candidate	 Assessment Task 1: Candidate is required to prepare given design by using two types of stitches from each of the following assigned by the assessor followed by packing: Flat Stitches Loop Stitches Knot stitches Assessment Task 2: Candidate is required to perform surface decoration of material by using any of the following combination of embroidery work: Carry out drawn thread (tarkashi) and ribbon work Perform applique, quilt and cut work Carry out smocking and ribbon work And complete: Knowledge assessment test (Written or Oral) Portfolios at the time of assessment (if any)

	During a practical assessment, under observation by an assessor, you will complete:
	Assessment Task 1: Candidate is required to prepare given design by using two types of stitches from each of the following assigned by the assessor followed by packing:
	 Flat Stitches Loop Stitches Knot stitches
	Performance Criteria 1: Wear personal protective equipment according to job requirements
	Performance Criteria 2: Comply with Health, hygiene and safety precautions before starting work
	Performance Criteria 3: Trace design on tracing sheet [butter paper, PVC, etc.] to be embroidered if required
	Performance Criteria 4: Transfer the design on given material
Minimum	Performance Criteria 5: Fix and tighten the fabric/material on the hand frame (hoop) while avoiding plication (fold)
Minimum Evidence Required	Performance Criteria 6: Perform basting to start each embroidery stitch on the fabric/material
Required	Performance Criteria 7: Perform given flat stitches (Running, Back & Stem, Herringbone, Skip, Satin, long & short, shade, couching, cross) on the transferred lines/dots, while ensuring firmness of embroidery stitches
	Performance Criteria 8: Preform the zigzag embroidery stitch i.e (satin, jump, round, E (chawal), shade, fancy) following the traced/ transferred design lines, while ensuring firmness of embroidery stitches
	Performance Criteria 9: Lock the embroidery work with final stitch for every type of embroidery while avoiding tightness
	Performance Criteria 10: Control the quality of embroidery according to quality standards and the artwork specifications
	Performance Criteria 11: Perform finishing procedures includes clipping, stain removal and ironing of final product
	Performance Criteria 12: Control the packing measurement of the embroided product according to the measurement pattern
	Performance Criteria 13: Apply labels (bar code, identification etc.) on the package as per shipment/customer requirements
	Performance Criteria 14: Prepare packing report on the prescribed format

Assessment Task 2: Candidate is required to perform surface decoration of material by using any of the following combination of embroidery work:
Carry out drawn thread (tarkashi) and ribbon work
 Or Perform applique, quilt and cut work
Or
Carry out smocking and ribbon work
Performance Criteria 1: Wear personal protective equipment according to job requirements
Performance Criteria 2: Comply with Health, hygiene and safety precautions before starting work
Performance Criteria 4: Transfer traced design on given material
Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied
Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication
Performance Criteria 7: Pick out threads from the warp or the weft of a piece of even weave fabric by avoiding breakage of the thread
Performance Criteria 8: Make Knot and wrap embroidery thread delicately on left fabric weave (warp/Weft) to create a required design, while counting number of warp/weft
Performance Criteria 9: Make a Knot of the embroidery thread edges by avoiding crumpling of warp/weft
Performance Criteria 10: Perform basting to start embroidery on the fabric/material
Performance Criteria 11: Burn ribbon from starting and ending points
Perform basting to attach ribbon on the fabric/material.
Performance Criteria 12: Attach ribbon with sew-in procedure by following design
Performance Criteria 13: Develop ribbon ornaments (flower, petal etc.) by twisting and folding techniques as per design requirements
Lock the embroidery work with final stitch while avoiding tightness, if required
Performance Criteria 14: Control the quality of embroidery according to quality standards and the artwork specifications
Performance Criteria 15: Perform finishing procedures includes clipping and stain removal of final product
OR
Performance Criteria 1: Use personal protective equipment according to safe work practices
Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks
Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics
Performance Criteria 4: Transfer traced design on given material
Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied
Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication

 Performance Criteria 7: Perform basting to start embroidery on the fabric/material Performance Criteria 8: Fuse applique material [if required] using ironing/pinning/basting process while maintaining surface evenness Performance Criteria 9: Cut material from design outline or Cut the material with seam allowance for rali work, whichever required according to design Performance Criteria 10: Tack applique patch with embroidery stitches on given material following the traced/ transferred design lines/dots Performance Criteria 11: Perform beaton design ines/dots Performance Criteria 12: Cut the negative areas of design with appropriate tool Performance Criteria 13: Perform button hole stitch to achieve even borderline finishes Performance Criteria 14: Iron the embroided material to prepare for quilting for removing plication Performance Criteria 15: Perform cutting of the layers to be attached for quiting Performance Criteria 16: Fin-up three layer to start embroidery on the fabric/material Performance Criteria 17: Pin and sew material with quilt backing sheet by avoid puckering under the given material Performance Criteria 19: Control the quality of embroidery according to quality standards and the artwork specifications Performance Criteria 19: Control the quality of embroidery according to safe work specifications Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks. Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work while maintaing plication Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work endiced square grid of evenly-spaced on the fabric with fabric per or a pencil. Performance Criteria 3: Fix and tighten the fabric/material on the han	
 ironing/pinning/basting process while maintaining surface evenness Performance Criteria 9: Cut material from design outline or Cut the material with seam allowance for rail work, whichever required according to design Performance Criteria 11: Perform embroidery followed by lock/chain stitch on given material at designated position Performance Criteria 12: Cut the negative areas of design lines/dots Performance Criteria 13: Perform button hole stitch to achieve even borderline finishes Performance Criteria 14: Iron the embroided material to prepare for quilting for removing plication Performance Criteria 15: Perform cutting of the layers to be attached for quilting Performance Criteria 16: Pin-up three layer to start embroidery on the fabric/material Performance Criteria 15: Derform cutting of the layers to be attached for quilting Performance Criteria 16: Pin-up three layer to start embroidery on the fabric/material Performance Criteria 15: Lock the embroidery work with final stitch while avoid puckering under the given material Performance Criteria 19: Control the quality of embroidery according to quality standards and the attwork specifications Performance Criteria 10: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work which and the hand frame/frame(adda) while avoiding plication Performance Criteria 3: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 5: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 6: Perform	Performance Criteria 7: Perform basting to start embroidery on the fabric/material
 with seam allowance for rali work, whichever required according to design Performance Criteria 10: Tack applique patch with embroidery stitches on given material at designated position Performance Criteria 11: Perform embroidery followed by lock/chain stitch on given material following the traced/ transferred design lines/dots Performance Criteria 12: Cut the negative areas of design with appropriate tool Performance Criteria 13: Perform button hole stitch to achieve even borderline finishes Performance Criteria 14: Iron the embroided material to prepare for quilting for removing plication Performance Criteria 15: Perform cutting of the layers to be attached for quilting Performance Criteria 16: Plin-up three layer to start embroidery on the fabric/material Performance Criteria 17: Pln and sew material with quilt backing sheet by avoid puckering under the given material Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional stain removal of tinal product OR Performance Criteria 3: Fix the pattern in the embroidery hop/adda with the help of extra fabric, if required Performance Criteria 4: Transfer traced design on given material Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 8: Perform addted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Pe	
given material at designated position Performance Criteria 11: Perform embroidery followed by lock/chain stitch on given material following the traced/transferred design lines/dots Performance Criteria 12: Cut the negative areas of design with appropriate tool Performance Criteria 13: Perform button hole stitch to achieve even borderline finishes Performance Criteria 14: Iron the embroided material to prepare for quilting for removing pilcation Performance Criteria 15: Perform cutting of the layers to be attached for quilting Performance Criteria 16: Pin-up three layer to start embroidery on the fabric/material Performance Criteria 17: Pin and sew material with quilt backing sheet by avoid puckering under the given material Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 19: Control the quality of embroidery according to quality standards and the artwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 5: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric per or a pencil. Performance Criteria 8: Perform setting the traced thread and cut off extra thread Performance Criteria 8: Perform solution ypelling the thread to make even tight pleats, the knot at the tail of each thread and cut off extra thread Performance Criteria 1: Perform settic hory buling the thread to make even tight pleats, the knot at the tail of each thread and cut off extra thread Performance Criteria 10	with seam allowance for rali work, whichever required according to design
on given material following the traced/ transferred design lines/dots Performance Criteria 12: Cut the negative areas of design with appropriate tool Performance Criteria 13: Perform button hole stitch to achieve even borderline finishes Performance Criteria 14: Iron the embroided material to prepare for quilting for removing plication Performance Criteria 15: Perform cutting of the layers to be attached for quilting Performance Criteria 16: Pin-up three layer to start embroidery on the fabric/material Performance Criteria 17: Pin and sew material with quilt backing sheet by avoid puckering under the given material Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 20: Control the quality of embroidery according to quality standards and the artwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(ada) while avoiding plication Performance Criteria 8: Derform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 9: Cather the fabric by Pulling the thread to make even tight pleats, the knot at the tail of each thread and cut off extra thread Performance Criteria 1: Perform sem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 1: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges	given material at designated position
 tool Performance Criteria 13: Perform button hole stitch to achieve even borderline finishes Performance Criteria 14: Iron the embroided material to prepare for quilting for removing plication Performance Criteria 15: Perform cutting of the layers to be attached for quilting Performance Criteria 16: Pin-up three layer to start embroidery on the fabric/material Performance Criteria 17: Pin and sew material with quilt backing sheet by avoid puckering under the given material Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 19: Control the quality of embroidery according to quality standards and the attwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 9: Gather the fabric by Pulling the thread to make even ight pleats, tie knot at the tail of each thread and cut off extra thread even ight pleats, the knot at the tail of each thread and cut off extra thread pleats one by one with continuity Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform the addition the make even ight pleats, the knot at the tail of each thread and cut off extra thread <td></td>	
borderline finishes Performance Criteria 14: Iron the embroided material to prepare for quilting for removing plication Performance Criteria 15: Perform cutting of the layers to be attached for quilting Performance Criteria 16: Pin-up three layer to start embroidery on the fabric/material Performance Criteria 17: Pin and sew material with quilt backing sheet by avoid puckering under the given material Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 19: Control the quality of embroidery according to quality standards and the artwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 7: Perform basting on the dots to start smocking embroidery technique Performance Criteria 1: Perform actude square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 1: Perform basting on the dots to start smocking embroidery technique Performance Criteria 1: Perform basting on the dots to start smocking embroidery technique Performance Criteria 1: Perform actude square grid of evenly-spaced on the fabric /material 3: Contro material fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 1: Perform basting on the dots to start smocking embroidery technique Performance Criteria 1: Perform basting on the dots to start smocking embroidery technique Performance Criteria 1: Perform basting on the dots to the fabric and join the pleats, the knot at the tail of each threead and cut off ex	
for removing plication Performance Criteria 15: Perform cutting of the layers to be attached for quiliting Performance Criteria 16: Pin-up three layer to start embroidery on the fabric/material Performance Criteria 17: Pin and sew material with quilt backing sheet by avoid puckering under the given material Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 19: Control the quality of embroidery according to quality standards and the artwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique Performance Criteria 1: Perform basting on the dots to start smocking embroidery technique Performance Criteria 1: Perform active square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 1: Perform basting on the dots to start smocking embroidery technique Performance Criteria 1: Perform basting on the dots to start smocking embroidery technique Performance Criteria 1: Perform stem stitch in two pleats of the fabric and join the pleats, the knot at the tail of each thread and cut off extra thread Performance Criteria 1: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform stem stitch in two pleats to make zigzag pattern and Knot the embroidery thread deges	
quilting Performance Criteria 16: Pin-up three layer to start embroidery on the fabric/material Performance Criteria 17: Pin and sew material with quilt backing sheet by avoid puckering under the given material Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 19: Control the quality of embroidery according to quality standards and the artwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity	
fabric/material Performance Criteria 17: Pin and sew material with quilt backing sheet by avoid puckering under the given material Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 19: Control the quality of embroidery according to quality standards and the artwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 7: Perform aduted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform sets stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform sets thich hetween all pleats to make zigzag pattern and Knot the embroidery thread edges	
 avoid puckering under the given material Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness Performance Criteria 19: Control the quality of embroidery according to quality standards and the artwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Perform basing on the dots to start smocking embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	
 avoiding tightness Performance Criteria 19: Control the quality of embroidery according to quality standards and the artwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pattern and Knot the embroidery hoop adda with the fabric by one with continuity Performance Criteria 1: Perform stem stitch in two pleats to make zigzag pattern and Knot the embroidery thread edges 	
 quality standards and the artwork specifications Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of final product OR Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 8: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	
and stain removal of final product OR Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges	
 Performance Criteria 1: Use personal protective equipment according to safe work practices Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 8: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	
 safe work practices Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	OR
reduce risks Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread point the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges	
 standards/ awareness of appropriate work ethics Performance Criteria 4: Transfer traced design on given material Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	•
 Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	
 the help of extra fabric, if required Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	Performance Criteria 4: Transfer traced design on given material
 frame/frame(adda) while avoiding plication Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	
 the fabric with fabric pen or a pencil. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	
 embroidery technique Performance Criteria 9: Gather the fabric by Pulling the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges 	
even tight pleats, tie knot at the tail of each thread and cut off extra thread Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges	
join the pleats one by one with continuity Performance Criteria 11: Perform wave stitch between all pleats to make zigzag pattern and Knot the embroidery thread edges	
zigzag pattern and Knot the embroidery thread edges	
Performance Criteria 12: Burn ribbon from starting and ending points	•
	Performance Criteria 12: Burn ribbon from starting and ending points

	Perform basting to attach ribbon on the fabric/material.
	Performance Criteria 13: Attach ribbon with sew-in procedure by following design
	Performance Criteria 14: Develop ribbon ornaments (flower, petal etc.) by twisting and folding techniques as per design requirements
	Performance Criteria 15: Lock the embroidery work with final stitch while avoiding tightness, if required
	Performance Criteria 16: Control the quality of embroidery according to quality standards and the artwork specifications
	Performance Criteria 17: Perform finishing procedures includes clipping and stain removal of final product
Po	ortfolios required at the time of assessment (if any) for
	Performance criteria 1: Diary log of completed work of following basic hand stitches;
	Flat StitchesLoop StitchesKnot Stitches
	Performance criteria 2: Diary log of completed work of surface decoration of following embroidery work:
	 Carry out drawn thread (tarkashi) Ribbon work Perform applique, Quilt work Cut work Smocking technique Cord (Dori) work

Continued on following page

Assessors Judgment Guide (to be completed by the Assessor and signed both by the assessor and the candidate after the assessment)

Candidate Details	Name:	C C C C C C C C C C C C C C C C C C C
Assessment Outcome	COMPETENT Name of the Assessor: Signature of the Assessor:	NOT YET COMPETENT 🗖

Assessment Summary (to be filled by the assessor)									
Activity			Method	ł		Result			
Nature of Activity	Written	Oral	Observation	Portfolio	Role Play	Competent	Not Yet Competent		
Practical Skill Demonstration			✓						
Knowledge Assessment	~	~							
Other Requirement				~					

Each Assessment Task (with performance criteria)						
Assessment Task 1: Candidate is required to prepare given design by using two types of stitches from each of the following assigned by the assessor followed by packing:	Description of assessment task 1					
Flat StitchesLoop StitchesKnot stitches						

During followin	the practical assessment, candidate demonstrated th g:	^{ne} Yes	No	Remarks
1.	Performance Criteria 1: Wear personal protective equipment according to job requirements			
2.	Performance Criteria 2: Comply with Health, hygiene and safety precautions before starting work	ĸ		
3.	Performance Criteria 3: Trace design on tracing sheet [butter paper, PVC, etc.] to be embroidered if required			
4.	Performance Criteria 4: Transfer the design on given material			
5.	Performance Criteria 5: Fix and tighten the fabric/material on the hand frame (hoop) while avoiding plication (fold)			
6.	Performance Criteria 6: Perform basting to start each embroidery stitch on the fabric/material			
7.	Performance Criteria 7: Perform given flat stitches (Running, Back & Stem, Herringbone, Skip, Satin, long & short, shade, couching, cross) on the transferred lines/dots, while ensuring firmness of embroidery stitches	5		
8.	Performance Criteria 8: Preform the zigzag embroidery stitch i.e (satin, jump, round, E (chawal) shade, fancy) following the traced/ transferred desig lines, while ensuring firmness of embroidery stitche	gn		
9.	Performance Criteria 9: Lock the embroidery work with final stitch for every type of embroidery while avoiding tightness	(-
10.	Performance Criteria 10: Control the quality of embroidery according to quality standards and the artwork specifications			
11.	Performance Criteria 11: Perform finishing procedures includes clipping, stain removal and ironing of final product			
12.	Performance Criteria 12: Control the packing measurement of the embroided product according t the measurement pattern	0		
13.	Performance Criteria 13: Apply labels (bar code, identification etc.) on the package as per shipment/customer requirements			
14.	Performance Criteria 14: Prepare packing report of the prescribed format	on		
Compe	tent 🗆 Not Yet Con	npetent []	

Assessment Task 2: Candidate is required to perform surface decoration of material by using any of the following combination of embroidery work:	Description of assessment task 2
 Carry out drawn thread (tarkashi) and ribbon work Or Perform applique, quilt and cut work Or Carry out smocking and ribbon work 	

During followin	the practical assessment, candidate demonstrated the g:	Yes	No	Remarks
1.	Performance Criteria 1: Wear personal protective equipment according to job requirements			
2.	Performance Criteria 2: Comply with Health, hygiene and safety precautions before starting work			
3.	Performance Criteria 4: Transfer traced design on given material			
4.	Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied			
5.	Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication			
6.	Performance Criteria 7: Pick out threads from the warp or the weft of a piece of even weave fabric by avoiding breakage of the thread			
7.	Performance Criteria 8: Make Knot and wrap embroidery thread delicately on left fabric weave (warp/Weft) to create a required design, while counting number of warp/weft			
8.	Performance Criteria 9: Make a Knot of the embroidery thread edges by avoiding crumpling of warp/weft			
9.	Performance Criteria 10: Perform basting to start embroidery on the fabric/material			
10.	Performance Criteria 11: Burn ribbon from starting and ending points			
11.	Perform basting to attach ribbon on the fabric/material.			
12.	Performance Criteria 12: Attach ribbon with sew-in procedure by following design			
13.	Performance Criteria 13: Develop ribbon ornaments (flower, petal etc.) by twisting and folding techniques as per design requirements			
14.	Lock the embroidery work with final stitch while avoiding tightness, if required			
15.	Performance Criteria 14: Control the quality of embroidery according to quality standards and the artwork specifications			
16.	Performance Criteria 15: Perform finishing procedures includes clipping and stain removal of final product			
17.	OR			
18.	Performance Criteria 1: Use personal protective equipment according to safe work practices			
19.	Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks			

20. to	Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics	
	Performance Criteria 4: Transfer traced design on given material	
22. e	Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if equied	
23. fa	Performance Criteria 6: Fix and tighten the abric/material on the hand frame/frame(adda) while avoiding plication	
	Performance Criteria 7: Perform basting to start embroidery on the fabric/material	
25. re	Performance Criteria 8: Fuse applique material [if required] using ironing/pinning/basting process while maintaining surface evenness	
26. o	Performance Criteria 9: Cut material from design butline or Cut the material with seam allowance for rali work, whichever required according to design	
27. e	Performance Criteria 10: Tack applique patch with embroidery stitches on given material at designated position	
28. fo	Performance Criteria 11: Perform embroidery followed by lock/chain stitch on given material following the traced/ transferred design lines/dots	
	Performance Criteria 12: Cut the negative areas of design with appropriate tool	
	Performance Criteria 13: Perform button hole stitch o achieve even borderline finishes	
31	Performance Criteria 14: Iron the embroided material to prepare for quilting for removing plication	
	Performance Criteria 15: Perform cutting of the avers to be attached for quilting	
	Performance Criteria 16: Pin-up three layer to start embroidery on the fabric/material	
34. q	Performance Criteria 17: Pin and sew material with quilt backing sheet by avoid puckering under the given material	
	Performance Criteria 18: Lock the embroidery work with final stitch while avoiding tightness	
36. e	Performance Criteria 19: Control the quality of embroidery according to quality standards and the artwork specifications	
37. p	Performance Criteria 20: Perform finishing procedures includes clipping and stain removal of inal product	
38. C	OR	

39 Performance Criteria 1: Use personal protective equipment according to safe work practices 40 Performance Criteria 2: Take actions to eliminate workplace hazards or to reduce risks 41 Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics 42 Performance Criteria 4: Transfer traced design on given material 43 Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required 44 Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication 45 Performance Criteria 8: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. 46 Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique 46 Performance Criteria 9: Gather the fabric by Pulling
40 workplace hazards or to reduce risks 41 Performance Criteria 3: Communicate with manner to reflect professional standards/ awareness of appropriate work ethics 42 Performance Criteria 4: Transfer traced design on given material 43 Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required 44 Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication 45 Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. 46 Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique
41. to reflect professional standards/ awareness of appropriate work ethics 42. Performance Criteria 4: Transfer traced design on given material 43. Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required 44. Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication 45. Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. 46. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique
42 given material 9 Performance Criteria 5: Fix the pattern in the embroidery hoop/adda with the help of extra fabric, if required 43 Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication 44 fabric/material on the hand frame/frame(adda) while avoiding plication 45 Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. 46 Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique
43. embroidery hoop/adda with the help of extra fabric, if required 44. Performance Criteria 6: Fix and tighten the fabric/material on the hand frame/frame(adda) while avoiding plication 45. Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. 46. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique
44. fabric/material on the hand frame/frame(adda) while avoiding plication 45. Performance Criteria 7: Perform a dotted square grid of evenly-spaced on the fabric with fabric pen or a pencil. 46. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique
45. grid of evenly-spaced on the fabric with fabric pen or a pencil. 46. Performance Criteria 8: Perform basting on the dots to start smocking embroidery technique
40. dots to start smocking embroidery technique
Performance Criteria 9: Gather the fabric by Pulling
47. the thread to make even tight pleats, tie knot at the tail of each thread and cut off extra thread
48. Performance Criteria 10: Perform stem stitch in two pleats of the fabric and join the pleats one by one with continuity
 49. between all pleats to make zigzag pattern and Knot the embroidery thread edges
50. Performance Criteria 12: Burn ribbon from starting and ending points
51. Perform basting to attach ribbon on the fabric/material.
52. Performance Criteria 13: Attach ribbon with sew-in procedure by following design
Performance Criteria 14: Develop ribbon 53. ornaments (flower, petal etc.) by twisting and folding techniques as per design requirements
54. Performance Criteria 15: Lock the embroidery work with final stitch while avoiding tightness, if required
Performance Criteria 16: Control the quality of 55. embroidery according to quality standards and the artwork specifications
Sector
Competent Not Yet Competent

Portfolio (if any)			Description of portfolio			
Curren	t 🗆 Sufficient 🗆 Au	thentic 🛛	Valid			Reliable 🛛
Portfoli	o meet the following performance	standards:		Yes	No	Remarks
Performance criteria 1: Diary log of con of basic following hand stitches;1• Flat Stitches • Loop Stitches • Knot stitches			d work			
2 Performance criteria 2: Diary log of complet of surface decoration of following embroid Carry out drawn thread (ta Ribbon work Perform applique, Quilt work Cut work Smocking technique Cord (Dori) work			work:			
Competent Not Yet Competent						

National Vocational and Technical Training Commission (NAVTTC)

🗟 Plot 38, Kirthar Road, Sector H-9/4, Islamabad, Pakistan

Section 322 ≤ 10044 322

♥ +92 51 9044 322

🖄 info@navttc.org

© www.navttc.org